



DATA SHEET FOODTRUCKERS STAINLESS STEEL TRAILER

Internal dimensions of trailer

• Length: 4150 mm

• Width: 2200 mm

• Height: 2300 mm

Chassis of trailer: DMC max 2700kg / 2000 kg

Electrical installation

- Outside double main socket 32A/400V,
- First main socket 32A/400V with electrical switchboard with residual current circuit breaker, phase switch. Two sockets 32A/400V inside for gastronomic equipment and rest for sockets 230V cooling system, water system, lights system, free sockets for users.
- Second main socket <u>32A/400V</u> with electrical switchboard with residual current circuit breaker, phase switch. Sockets only for 2 interior socket 32A/400V and socket 230V for Oven,
- Lighting installation LED,
- Safety switch in the form of a red / yellow button cuts off all electricity,

• Furniture

- Stainless steel furniture with light core,
- Surface done with thickness 40mm,
- Hood with engine at roof, oil condenser and LED halogens,
- Sinks double done at the same level like surface smoth enter,









Gastronomic and cooling equipment

Black bottle cooler TEFCOLD - CEV425

- Black interior and exterior
- Elegant design
- Great product presentation
- Extra shelf space
- LED illuminated canopy
- LED light inside door frame
- Fan assisted cooling



Storage freezer TEFCOLD - UF200S-I

- Reversible solid door
- Electronic thermostat
- Stainless steel cabinet
- Fixed freezing shelves
- Lock
- Adjustable feet



Grill Plate Kromet - 2 pieces,

- Chrome-Griddles are made of high-grade stainless steels.
- Top plate made of AISI 304 stainless steel with thickness ≠ 1.5mm
- Chrome-plated smooth/ grooved working plate ensure uniform distribution of temperate the whole surface plated smooth working plate ensures uniform distribution of temperatures over the whole surface.

Eletric Fryier Kromet – 2 pieces

- Electric fryers are made of high-grade stainless steels.
- Working plate made of AISI 304 stainless steel with thickness \neq 1.5mm.
- On front table of the device, timer controlling frying fat temperature and time is installed.
- Temperature adjustment between 50 o and 200 °C. Tank with cool zone.














Vitrine Cooler GN1/4 - TEFCOLD

- Stainless steel
- Static cooling
- Glass structure for protection of food
- Adjustable feet



Industrial Oven – NERONE

- Easy cleaning with removable door
- Simple operation
- Bottom hinge
- 2 fans for even heat distribution
- Italian quality produced, Tecnodom
- Stackable (can be modular)
- Industrial oven with 4xinserts in 44 × 35 cm, not included,





